

# The range

O - KENYA 46 BATHROOM \_ 46 m<sup>2</sup>















O - KENYA 34 BATHROOM \_ 34 m<sup>2</sup>
















4 to 6

O - BALI 32 \_\_\_\_ **32** m<sup>2</sup>



2 bedrooms | kitchen without | living room | stilt floor





4 to 6

O - KENYA 46 \_\_\_\_ **46** m<sup>2</sup>



2 bedrooms kitchen without water point living room

O - KENYA 34 \_\_\_\_ **34** m<sup>2</sup>











O - MARQUISES \_\_\_\_ 20 m<sup>2</sup>











O - MOOREA \_\_\_\_ 11 m<sup>2</sup>








2 bedrooms including 1 upstairs







○ - KENYA EVENT \_\_\_\_ 69, 46, 34, 23 m²



All catalogue images are non-contractual.

## Contents

KENYA 46 ———————————————————————————————————	10
KENYA 34	14
BALI 32 ———————————————————————————————————	22
TIPIHOME —	30
MARQUISES	38
MOOREA —	46
KENYA EVENT	54
BUSINESS NETWORK —	62
PRODUCTION SITES	63



## Over **90 years** of experience

and development in the concept of leisure and HPA\*. Manufactured in France at our factories in Sarthe, Drôme and Loiret.



## Technical innovations

in fabric treatment and ease of handling (assembly / dismantling).



## Real-life **testing**

Our designs are assembled and tested outdoors over several years at our production sites.



## Commitment to quality control

throughout all our manufacturing processes to ensure a sustainable investment for you.

HPA = hôtellerie de plein-air (outdoor accommodation).

### 1935

The TRIGANO family invented the brand of the same name in 1935, the year in which they began selling textile products under the TRIGANO brand.



### 1936

The first paid holidays took place in France and TRIGANO sold canvases and tents, promoting the idea of camping.

1945

The company was founded by Raymond Trigano and his sons, specialising in the distribution of camping and sports equipment.



1971

The company diversified into manufacturing caravans.

1974

For financial reasons, Crédit Lyonnais took control of TRIGANO, which was privatised some ten years later.

1981

François Feuillet joins TRIGANO and starts manufacturing motorhomes, trailers and garden equipment.

1998

TRIGANO is floated on the stock exchange and begins to make acquisitions, mainly in the motorhome









# The **TRIGANO** experience

## **Expertise**



### The floor

Scandinavian wood from sustainably managed forests.

The autoclave treatment of the pine ensures optimal durability, essential for our lodges and bungalows.



### The structure

Made of wood or steel, our structures are weather-resistant and can be left up all year round.

The metal parts are made from galvanised steel and the timber frame from autoclaved pine.



### The canvas

The roof is made from M2 PVC. The tent is made from M1 polycotton fabric or M2 PVC, depending on the model.

The canvases are waterproofed and treated to be resistant to UV rays, rips and mould.

## High quality fabrics



### Polycotton fabric

O KENYA
O TIPIHOME
O MOOREA

This technology provides various advantages:

- ⊘ Exceptional aesthetics with a cotton-like appearance.



### **PVC** fabric

O All roofsO The walls of the MARQUISES and BALI

Used mainly for our roofs, PVC fabrics offer:

TRIGANO — 5

4 — TRIGANO www.trigano-hpa.com



# TRIGANO assembly



## Stilt floor

- Adjustable from 18 to 200 cm
- Posts 90 x 90 mm
- Sleeper 20 x 45 mm
- Ground anchoring kit
- Insulation with underfloor tarpaulin

## **Stairs**

- 1 to 7 steps
- Adjustable 160 cm (KENYA and BALI) and 200 cm in front (MOOREA\*)
- Stair railing
- \* 1 to 10 steps for the MOOREA mode



- Our wood comes from CTB P+ and CTB B+ certified Scandinavian forests.
- Wooden deck boards autoclaved to European standards.
- The advantage of stilt flooring: no groundworks required.

	Floor	Surface area (m²)	Terrace area in classic configuration (m²)	FLOORING XL	Surface area (m²)	Additional terrace in XL version
MOOREA	2.68 x 4.17	11	2,5	2.68 x 5.34	14	5
MARQUISE	4.76 x 5.36	26	-	7.93 x 5.36	43	14
BALI 32	6.81 x 5.36	37	14	8.57 x 5.36	46	23
KENYA 34	7.93 x 5.36	43	14	9.69 x 5.36	52	23
KENYA 46	9.76 x 5.36	52	14	11.52 x 5.36	62	23
TIPI	6.23 x 5.42	34	-	7.99 x 5.42	43	14
KENYA 23 EVENT	5.88 x 5.36	32	-			
KENYA 34 EVENT	7.93 x 5.36	43	-	A custon	nised project fo	r your business ?
KENYA 46 EVENT	9.76 x 5.36	52	-	Please do not hesitate to contact our sales team.		
KENYA 69 EVENT	14.40 x 5.36	77	-			



## TRIGANO services



## Delivery

From trucks to trailers, with or without forklifts, depending on the chosen options. The whole process is carried out **safely** with our partners.



## **Assembly**

This must be carried out correctly to ensure the safety and durability of the lodges. TRIGANO offers you **a specially adapted solution** for the best possible assembly.



# TRIGANO offers you turnkey installation.

- ⊗ A pre-site visit to check the feasibility of the project and the location of the plots;
- Delivery and unloading using our forklift trucks by a CACES 3 and 9 certified forklift operator;
- ⊘ Connection of electricity and plumbing to the site's utility systems;
- $\ensuremath{\bigcirc}$  An inventory at the end of the installation.

# **GUARANTEE** on all equipment fitted (5 years) excluding peripherals\*

\* Documents relating to warranties for ancillary equipment not designed by TRIGANO MDC (e.g. toilet cistern, furniture, tent zips, stove, fridge, hob, sink, oven, heating, water heater, air conditioning, light fittings, etc.), which are subject to specific regulations or approvals and are part of your tent, will be given to you when it is delivered. This equipment is covered solely by the commercial warranty provided by its respective manufacturer or vendor.



www.trigano-hpa.com

## OKENYA 46

with or without bathroom



# A comfortable sleeping area

### A lodge the whole family will love

KENYA lodges are designed with 2 bedrooms at the back. The main bedroom is equipped with a double bed, while the second bedroom features a bunk bed with three sleeping spaces.

The KENYA 46 version can be equipped with a sofa in the living area that converts into a double bed (optional).



### General features

Size of lodge:



46 m<sup>2</sup>

Room size

6 m² double bedroom 5 m² children's bedroom Terrace area:

14 m² in standard floor version

Number of bedrooms:





### General structure

**Framework:** autoclaved pine, 68 x 68 mm + zincplated steel connectors and black polyester paint.

**Post height\*:** 200 cm. The height of the posts corresponds to the height of the walls.



### Canvas

**Tent:** polycotton fabric 420 g/m<sup>2</sup> - M1. **Roof:** PVC 640 g/m<sup>2</sup> - M2.

**Canvas tensioning:** ground clips and rails. **Roof tensioning system on the frame:** stainless steel ratchet straps.

**Terrace side panels (optional):** PVC 640 g/m² - M2.



### Stilt floor



To be positioned on gravelled slabs.

4 step height: 90 cm

Adjustable **flooring** that adapts to the configuration of your land

7 step height:



Underfloor tarpaulin to prevent cold draughts



Autoclave treatment.

Floor area: 976 cm x 536 cm = 52 m<sup>2</sup>.



Floor area with XL terrace: 1152 cm x 536 cm = **62 m²**.

12- TRIGANO www.trigano-hpa.com

## OKENYA 34

with or without bathroom



## A wooden frame cotton effect canvas

### The KENYA can be left up all year round.

The KENYA has a side height of 2 metres for extra space and better increased brightness.

It is available either with a new, very bright veranda or with an entrance gable located on the inner part of the terrace (both options are compatible with each other on the KENYA 34 model, with or without a bathroom).

Our furniture kits coordinate perfectly with the wooden frame and canvas.



### General features

Size of lodge:

Room size:

6 m² double bedroom 5 m² children's bedroom Terrace area:

14 m² in standard floor version

Number of bedrooms:



4 to 6 people



### General structure

Framework: autoclaved pine, 68 x 68 mm + zincplated steel connectors and black polyester paint.

Post height\*: 200 cm. The height of the posts corresponds to the height of the walls.



### Canvas

**Tent:** polycotton fabric 420 g/m² - M1. **Roof:** PVC 640 g/m<sup>2</sup> - M2. Canvas tensioning: ground clips and rails. Roof tensioning system on the frame: stainless steel ratchet straps. Terrace side panels (optional): PVC 640 g/m<sup>2</sup> - M2.



### Stilt floor



gravelled slabs.

To be positioned on

Adjustable flooring that

4 step height: 90 cm 7 step height:

Underfloor tarpaulin to adapts to the configuration prevent cold draughts

Autoclave treatment.

Floor area: 793 cm x 536 cm =  $43 \text{ m}^2$ .

Floor area with XL terrace: 969 cm x 536 cm =  $52 \text{ m}^2$ .

TRIGANO — 15 14 - TRIGANOwww.trigano-hpa.com



## **○ KENYA** EQUIPMENT





## Bathroom

O Pre-assembled sanitary cabin kit from our factories, designed to be placed directly on the stilted platform of the lodge.

O Comprising a shower, sink, WC, 2 switch-controlled lights and an electrical socket.

O Wooden wall

O 100 L electric water heater with built-in pressure regulator.

 $\ensuremath{\mathcal{O}}$  Quick connection to electricity, water supply and waste water

O Bathroom size: 3.5 m²


Bedrooms	5∱	6∱
O Headboard for bed base + 2 bedside tables	•	-
	•	00
O Bedside table	•	00
<i>O</i> Bed base 160 x190 cm with 20 slats	•	-
<i>O</i> Mattress 90 x 190 cm	•	00
<i>O</i> Mattress 140 x 190 cm	•	00
<i>O</i> Mattress 160 x 190 cm	•	-
O Cotton / PVC laminated mattress cover 90 x 190 cm	•	00
O Cotton / PVC laminated mattress cover 140 x 190 cm	•	00
O Cotton / PVC laminated mattress cover 160 x 190 cm	•	-
<i>O</i> Pillow 60 x 60 cm	00000	00000
<i>O</i> Double duvet − 220 x 240 cm	00	00
O Single duvet - 140 x 200 cm	•	00

Furniture	KENYA 46 BA- THROOM KENYA 34 BA- THROOM	KENYA 46 KENYA 34	
<i>O</i> Pine table 160 x 76 x H 75 cm	•	•	
O Pine chair	000000	000000	
O Double bedroom wardrobe	00	00	
O Children's bedroom wardrobe	•	•	
O Kitchen base unit for 4-burner gas stove and sink	•	-	
O Kitchen base unit for 4-burner gas stove without sink	-	•	
O Refrigerator cover cabinet and worktop	•	•	
O TRIGANO deckchair	00	00	
O 160 L refrigerator - 45 L freezer - A+ class	•	•	
O Microwave	•	•	

Electrical kit	KENYA 46 KENYA 34
○ Wall lights: aged brass metal cages Ø 12.6 cm - H 17.5 cm	00000
O Living room and terrace ceiling lights: transparent glass shade, max 40 W - aged brass metal, black textile cable	
<i>O</i> Lights: E 27 ST 64 - 4W CE standard	00000
O Sockets: 2-pin	
O Switch	***********
O Electrical cabinet IP55 - 1 differential circuit breaker 40 A - 30 mA + 2 circuit breakers (10 and 16 A) + 2 others with bathroom	•
O Electric convector heater 500 W	Optional
O Fan with integrated lighting in the living room	•
O 2-way switch with 2 controls	00
O Reversible air conditioning	Optional

18 — TRIGANO trigano - 19www.trigano-hpa.com

# **○ KENYA**





















## **OBALI 32**



## A beautiful space to relax

### **Exceptional comfort**

A large living space with high-quality amenities will make the stay very enjoyable.

Two well-insulated bedrooms with indoor canopies allowing you to relax even in the middle of the day. These rooms can be fitted with a double bed in the main bedroom and/or a bunk bed that can accommodate 3 children or another couple.



General features

Size of lodge:



Terrace area:



Number of bedrooms:





General structure

Framework: autoclaved pine, Ø 80 mm + galvanised steel connectors and black polyester

**Optional railings:** railings with grid protection.



**Exterior canvas:** periphery/perimeter matt PVC 640 g/m<sup>2</sup> M2, roof canvas polyester 205 g/m<sup>2</sup> -M1 for thermal insulation

Canvas tensioning: ground clips and rails. Roof tensioning system on the frame: stainless steel ratchet straps. Terrace side panels (optional): PVC 640 g/m<sup>2</sup> - M2.



### Stilt floor



To be positioned on gravelled slabs.

Adjustable flooring that



Underfloor tarpaulin to adapts to the configuration prevent cold draughts



Autoclave treatment.



4 step height: 90 cm



7 step height:



 $681 \text{ cm x } 536 \text{ cm} = 37 \text{ m}^2.$ 



Floor area with XL terrace:  $857 \text{ cm x } 536 \text{ cm} = 46 \text{ m}^2.$ 




# OBALI







# A BALI EQUIPMENT



Bedrooms	5∱	6∱
O Headboard for bed base + 2 bedside tables	•	_
	•	00
O Bedside table	•	00
<i>O</i> Bed base 140 x 190 cm with 20 slats	•	-
<i>O</i> Mattress 90 x 190 cm	•	00
<i>O</i> Mattress 140 x 190 cm	•	00
O Cotton / PVC laminated mattress cover 90 x 190 cm	•	00
O Cotton / PVC laminated mattress cover 140 x 190 cm		00
O Pillow 60 x 60 cm	00000	00000
<i>O</i> Double duvet - 220 x 240 cm	00	00
<i>O</i> Single duvet - 140 x 200 cm	•	00

BALI 32F
0
00000
00
•
•
-
•
00
•
•

Electrical kit	BALI 32
OWall lights: aged brass metal cages ∅ 12.6 cm - H 17.5 cm	00000
O Living room and terrace ceiling lights: transparent glass shade, max 40 W - aged brass metal, black textile cable	•
OLights: E 27 ST 64 - 4W CE standard	00000
OSocket: 2-pin	••••••
<i>O</i> Switch	•••••
<i>O</i> Electrical cabinet IP55 - 1 differential circuit breaker 40 A - 30 mA + 2 circuit breakers (10 and 16 A) + 2 others with bathroom	•
O Electric convector heater 500 W	Optional
O Fan with integrated lighting in the living room	•
O 2-way switch with 2 controls	00
O Reversible air conditioning	Optional



# OTIPIHOME



## Unique holidays in the TIPIHOME

### Fast, simple and fun

Our new, unique accommodation features a main bedroom and a children's bedroom on the upper floor.

A bathroom with WC and sink is included.

The original design of the TIPIHOME means it can be set up on a wide range of plots, thanks to its stilted floor. It can remain set up year-round.



Size of lodge:



bottom: 22.8 m<sup>2</sup> Total: 26.5 m<sup>2</sup>



Double: 7 m<sup>2</sup> Children: 7 m<sup>2</sup>

Terrace area (optional):

Number of bedrooms: 2 bedrooms





General structure

### Framework:

autoclaved pine, 68 x 68 mm + zinc-plated steel connectors and black polyester paint.

wooden walls.



Canvas

14 m² in XL floor

version (optional)

polycotton fabric 420 g/m² - M1.

### Canvas tensioning:

clips and rails.



### Stilt floor



To be positioned on gravelled slabs.

without terrace

Adjustable flooring that adapts to the configuration prevent cold draughts



Underfloor tarpaulin to



Autoclave treatment.



623 cm x 542 cm =  $34 \text{ m}^2$ .



Floor area with XL terrace:  $799 \text{ cm x } 542 \text{ cm} = 43 \text{ m}^2.$ 

32 — TRIGANO TRIGANO — 33 www.trigano-hpa.com















# O TIPIHOME

EQUIPMENT







Non-contractual images

## Bathroom

O Bathroom cubicle: 80 x 80 cm shower, sink, WC

O Bathroom area: 2 sides of 4.90 m²

O Wooden walls

O 50 L electric water heater

TIPIHOME	Bedrooms
•	O Bed base 140 x 190 cm with 40 slats
00	<i>O</i> Bed base 1480 x 190 cm with 20 slats
00	<i>O</i> Mattress 80 x 190 cm
•	<i>O</i> Mattress 140 x 190 cm
•	O Cotton / PVC laminated mattress cover 140 x 190 cm
00	O Cotton / PVC laminated mattress cover 80 x 190 cm
0000	<i>O</i> Pillow 60 x 60 cm
•	<i>O</i> Double duvet − 220 x 240 cm
00	<i>O</i> Single duvet - 140 x 200 cm

Furniture	TIPIHOME
O TRIGANO deckchair	00
O Table top refrigerator, 118L including Freezer 15L, class A+	•
O Microwave	
O Kitchen unit, 2 ring induction hob	
○ Aluminium parasol, beige 250g/m² polyester fabric, black base with castors 25kg	optional





## Electrical kit

*O* Lighting: 7 LED bulbs 8 W - 2700 K - 800 lm - 220 V - 3 LED bedside lamps 5 W - 220 K - 260 lm - 220 V

O Switches: 3 single and 1 double

O Electrical sockets: 4 in the living room - 1 in the bathroom - 4 in the double bedroom - 3 upstairs in the children's bedroom

36- TRIGANO www.trigano-hpa.com



# **O MARQUISES**



## Our bungalow

### Good value for money.

Sleeping up to 6 people in 2 spacious bedrooms, the MARQUISES is ideal bungalow to experience glamping while providing extra comfort. Set on a stilted platform with a two-step staircase, a terrace can be added (optional) for more space.



Size of lodge:





Terrace area (optional):



14 m<sup>2</sup> in XL floor







### Framework:

galvanised steel Ø 30 x 1.5 mm.

Post height\*: 200 cm.

The height of the posts corresponds to the height



### Canvas

**Inner canvas:** 200 g/m<sup>2</sup> cotton velum. Tent: coated PVC 640 g/m<sup>2</sup> - M2. Roof: coated PVC 640 g/m<sup>2</sup> - M2. Canvas tensioning: ground clips and rails.



## Stilt floor



To be positioned on gravelled slabs.

without terrace.



Adjustable flooring that adapts to the configuration



Underfloor tarpaulin to prevent cold draughts



Autoclave treatment.



Floor area:  $476 \text{ cm x } 536 \text{ cm} = 26 \text{ m}^2$ .



 $793 \text{ cm x } 536 \text{ cm} = 43 \text{ m}^2$ .

40 — TRIGANO TRIGANO — 41 www.trigano-hpa.com





# O MARQUISES





# A MARQUISES EQUIPMENT



5∱	6 <b>†</b>
•	-
•	00
•	00
•	-
•	00
•	00
•	00
•	00
00000	00000
00	00
	00

Furniture	MARQUISES
	00000
O Table	•
O TRIGANO deckchair	00
O 160 L refrigerator - 45 L freezer, class A+	•
O Microwave	•
O Kitchen base unit for 4-burner gas stove without sink	•
O Aluminium parasol, beige 250g/m² polyester fabric, black base with castors 25kg	optional
O Low bedside table	optional
O Accacia fabric shelf - 3 shelves	optional
O Shelf without fabric - 3 shelves	optional
O Cupboard - 4 shelves	optional
O Wardrobe - 4 shelves + 1 hanging rail	optional

Electrical kit	MARQUISES
O Electrical consumer unit	•
O Differential circuit breaker 30 mA - 40 A - 3 circuit breakers 10 A	•
O Switch + 1 fan with integrated lighting	•
O Sockets in double bedroom + 2 bedside lamps	00
O Socket in children's bedroom + 1 floor lamp 2 controllable lights	•
O Sockets for kitchen unit + 1 microwave socket + 1 fridge socket	00
O Switch	•
O Terrace canopy	•
O 2-way switch with 2 cordless controls	00
O Junction box + energy-saving bulbs	•



## O MOOREA

No water connection



## Our offbeat accommodation.

### A nomadic spirit with the natural feel of canvas and a wooden frame.

A design carefully crafted to optimise the ground space required while maintaining a sense of space inside, thanks to the slanted frames.



Size of lodge:

11 m<sup>2</sup>

Room size:

Terrace area:

2.5 m² in standard

Number of bedrooms:







### General structure

**Framework:** autoclaved treated pine + galvanised steel connectors and black polyester paint.

Height under ridge: 200 cm.



**Tent:** polycotton fabric 420 g/m² - M1. **Roof:** PVC 640 g/m<sup>2</sup> - M2.

**Canvas tensioning:** ground clips and rails. Roof tensioning system on the frame: stainless steel ratchet straps.



## Stilt floor



Adjustable flooring that adapts to the configuration prevent cold draughts

Underfloor tarpaulin to

Autoclave treatment.

Colour: beige.

Height: 271 cm Width: 347 cm Depth: 311 cm



To be positioned on

gravelled slabs.

 $268 \text{ cm x } 417 \text{ cm} = 11 \text{ m}^2$ .








MOOREA with XL floor (optional).

# O MOOREA





# A MOOREA EQUIPMENT




Bedrooms	double	single
O Headboard for 140 cm bed base	0	
O Single metal bed 80 x 190 cm	-	00
O Bedside table 39 x 39 cm	•	•
<i>O</i> Mattress 80 x 190 cm	-	00
<i>O</i> Mattress 140 x 190 cm	•	-
O Cotton / PVC laminated mattress cover 80 x 190 cm	-	00
O Cotton / PVC laminated mattress cover 140 x 190 cm	•	-
<i>O</i> Pillow 60 x 60 cm	••	00
O Double duvet - 220 x 240 cm	-	00
<i>O</i> Single duvet - 140 x 200 cm	•	-


Furniture	MOOREA
O TRIGANO deckchair	optional
O Coffee table	optional



# Electrical kit O Solar station O Solar panel O Lamp



## O KENYA EVENT



## Glamping party spaces

Derived from its lodge version, the KENYA EVENT provides an ideal glamping space for games, parties, or for creating a dining area your

A delightful experience, these new units will blend in perfectly with the natural setting of your campsite.

Featuring two access points at each gable, this lodge opens easily with its removable fabrics, allowing for an open-air experience.



Size of lodge:



23 m², 34 m², 46 m², 69 m²

Your KENYA EVENT projects will be subject to prior validation by our design office.



General structure

Framework: autoclaved pine, 68 x 68 mm + zincplated steel connectors and black polyester paint. Max height: 180 cm.



**Side panel:** coated PVC 640 g/m<sup>2</sup> - M2. Gable: coated PVC 640 g/m<sup>2</sup> - M2. Canvas tensioning: ground clips and rails.

The ultra-reinforced timber frame is suitable for a wide range of events.



### Stilt floor











To be positioned on gravelled slabs.

Adjustable flooring that adapts to the configuration Underfloor tarpaulin to prevent cold draughts

Autoclave treatment



4 step height: 90 cm max. at front.




TRIGANO floors can be joined together to create large, open, communal spaces.

56 — TRIGANO TRIGANO - 57 www.trigano-hpa.com


# **○ KENYA EVENT**
























# O KENYA EVENT

endless possibilities





# Our sales team is at your disposal.

# Factories close to you







Our sales team is at your disposal to guide you in your choices and meet your needs.
For any specific requests, please consult us.

TRIGANO HPA
ZA HAUT ECLAIR
72600 MAMERS
© 02 43 31 16 88 – 02 43 31 12 35

- @ contact.mdc@trigano.fr
- www.trigano-hpa.com



Scan and explore our website www.trigano-hpa.com











## www.trigano-hpa.com

TRIGANO HPA ZA Haut Eclair **72600 MAMERS** 02 43 31 16 88 02 43 31 12 35



Find us on









