

A photograph of a wooden boardwalk or bridge leading through a forest. The boardwalk is made of dark wood and has railings on both sides. It leads towards a large, dense tree on the right. The sky is a warm orange color, suggesting sunset or sunrise. The overall mood is peaceful and natural.

TRIGANO

Lodges Manufacturer

THE 2026 RANGE

The range

Ø - KENYA 46 BATHROOM _____ **46 m²**



Ø - KENYA 46 _____ **46 m²**



Ø - KENYA 34 BATHROOM _____ **34 m²**



Ø - KENYA 34 _____ **34 m²**



Ø - BALI 32 _____ **32 m²**



Ø - MARQUISES _____ **20 m²**





Ø - MOOREA _____ 11 m²



- | | | |
|--------|-------------|--------------|
| | | |
| 1 room | Stilt floor | 1 à 2 people |

Ø - STEPPE _____ 12,5 m²



- | | | | |
|--------|-----------|----------|--------------|
| | | | |
| 1 room | floor mat | 2 people | diameter 4 m |

Ø - KENYA EVENT _____ 23, 34, 46 m²



- | | | | |
|------------|--------------|-----------|----------------|
| | | | |
| restaurant | meeting area | reception | leisure spaces |

Ø - REFUGE _____ 4,6 m²



- | | | | | |
|--------|--------------|-----------|--------------|-----------------------|
| | | | | |
| Toilet | shower cabin | washbasin | outdoor sink | wooden platform floor |

Sommaire

KENYA 46	10
KENYA 34	14
BALI 32	22
STEPPE	30
REFUGE	36
MARQUISES	42
MOOREA	50
KENYA EVENT	58
BUSINESS NETWORK	66
PRODUCTION SITES	67



Over 90 years of experience

and development in the concept of leisure and HPA*. Manufactured in France at our factories in Sarthe, Drôme and Loiret.



Technical innovations

in fabric treatment and ease of handling (assembly / dismantling).



Real-life testing

Our designs are assembled and tested outdoors over several years at our production sites.



Commitment to quality control

throughout all our manufacturing processes to ensure a sustainable investment for you.

HPA = hôtellerie de plein-air (outdoor accommodation).

1935

Launch of the TRIGANO brand and the marketing of textile products under the TRIGANO name.



1936

Introduction of paid holidays in France. TRIGANO begins selling tents, including the famous "Canadienne".

1945

The TRIGANO company is founded by Raymond TRIGANO and his sons. It specialises in the distribution of camping and sporting goods.



1971

The company is expanding its expertise by also designing and manufacturing caravans.

1974

Due to financial reasons, Crédit Lyonnais took control of TRIGANO, which would be privatized about ten years later.

1981

François Feuillet joins TRIGANO and launches the manufacturing of motorhomes, trailers, and garden equipment.

1998

TRIGANO is listed on the stock exchange and begins a series of acquisitions, mainly in the motorhome sector.



The TRIGANO experience

Expertise



The floor

Scandinavian wood from sustainably managed forests.


The autoclave treatment of the pine ensures optimal durability, essential for our lodges and bungalows.



The structure

Made of wood or steel, our structures are weather-resistant and can be left up all year round.

The metal parts are made from galvanised steel and the timber frame from autoclaved pine.



The canvas

The roof is made from M2 PVC. The tent is made from M1 polycotton fabric or M2 PVC, depending on the model.

The canvases are waterproofed and treated to be resistant to UV rays, rips and mould.

High quality fabrics



Polycotton fabric

- Ø KENYA
- Ø STEPPE
- Ø MOOREA

This technology provides various advantages:

- ✓ M1 fireproof properties for extra safety and protection
- ✓ Improved resistance
- ✓ Exceptional aesthetics with a cotton-like appearance.



PVC fabric

- Ø All roofs
- Ø The walls of the MARQUISES and BALI

Used mainly for our roofs, PVC fabrics offer:

- ✓ M2 fireproof properties for extra safety and protection
- ✓ Durability and resistance
- ✓ Easy maintenance



KENYA 46 BATHROOM



KENYA 46



KENYA 34 SDB



KENYA 34




BALI 32



MARQUISES

The range



STEPPE



MOOREA



REFUGE

TRIGANO assembly



Stilt floor

- Adjustable from 18 to 200 cm
- Posts 90 x 90 mm
- Battens 95 x 45 mm
- Sleeper 20 x 45 mm
- Ground anchoring kit
- Terrace boards 27 x 145 mm
- Insulation with underfloor tarpaulin

Stairs

- 1 to 7 steps
- Adjustable 160 cm (KENYA and BALI) and 200 cm in front (MOOREA*)
- Stair railing

* 1 to 10 steps for the MOOREA model



- Our wood comes from CTB P+ and CTB B+ certified Scandinavian forests.
- Wooden deck boards autoclaved to European standards.

 **The advantage of stilt flooring: no groundworks required.**

	Floor L x W (m)	standard floor area (m ²)	XL floor L x W (m)	XL floor area (m ²)
MOOREA	4,17 x 2,68	11,18 m ²	5,34 x 2,68	14,30 m ²
MARQUISE	4,76 x 5,36	25,50 m ²	7,93 x 5,36	42,50 m ²
BALI 32	6,81 x 5,36	36,50 m ²	8,57 x 5,36	45,90 m ²
KENYA 34	7,40 x 5,36	39,66 m ²	9,69 x 5,36	51,90 m ²
KENYA 46	9,76 x 5,36	52,31 m ²	11,52 x 5,36	61,70 m ²
STEPPE	5,06 x 4,00	20,24 m ²	–	–
KENYA 23 Event	5,88 x 5,36	31,52 m ²	A custom project for your business? Feel free to contact our sales team.	
KENYA 34 Event	7,93 x 5,36	42,50 m ²		
KENYA 46 Event	9,76 x 5,36	52,31 m ²		
REFUGE	2,60 x 1,70	4,40 m ²	–	–



TRIGANO services




Delivery

From trucks to trailers, with or without forklifts, depending on the chosen options. The whole process is carried out **safely** with our partners.



Assembly

This must be carried out correctly to ensure the safety and durability of the lodges. TRIGANO offers you **a specially adapted solution** for the best possible assembly.



TRIGANO offers you turnkey installation.

- ⊗ A pre-site visit to check the feasibility of the project and the location of the plots;
- ⊗ Delivery and unloading using our forklift trucks by a CACES 3 and 9 certified forklift operator;
- ⊗ Assembly of all the goods (floors, lodges and kits) by our teams;
- ⊗ Connection of electricity and plumbing to the site's utility systems;
- ⊗ An inventory at the end of the installation.



GUARANTEE (5 years) on all equipment fitted excluding peripherals*

* Documents relating to warranties for ancillary equipment not designed by TRIGANO MDC (e.g. toilet cistern, furniture, tent zips, stove, fridge, hob, sink, oven, heating, water heater, air conditioning, light fittings, etc.), which are subject to specific regulations or approvals and are part of your tent, will be given to you when it is delivered. This equipment is covered solely by the commercial warranty provided by its respective manufacturer or vendor.



KENYA 46



PVC M2

Fire resistance classification

Classification in FRANCE M0 > M4




5 years
GUARANTEE

Subject to assembly by

TRIGANO approved teams

KENYA 46 BATHROOM - gable-front version



KENYA 46 BATHROOM

 Double : 2,25 x 2,15 = 4,80 m² + Children : 2,25 x 2,15 = 4,80 m²

 46 m² (5,00 x 9,20 m)


 4 to 6 people

KENYA 46 - (no water connection)

🏠 Double : $2,25 \times 2,15 = 4,80 \text{ m}^2$ + Children : $2,25 \times 2,15 = 4,80 \text{ m}^2$

🏠 46 m² (5,00 x 9,20 m)

👤 4 to 6 people



KENYA 46 -gable-front version

Ø KENYA 46

with or without bathroom



A comfortable sleeping area

A lodge for the whole family

The KENYA lodges are designed with two bedrooms located at the back of the structure.

The parents' room includes a double bed, while the second bedroom features a mezzanine bed that can accommodate three people.



General features

Size of lodge:



46 m²

Room size:



2,25 x 2,15 = 4,80 m² Children
2,25 x 2,15 = 4,80 m² Parents

Terrace area:



2,20 x 4,90 = 10,80 m²

Number of bedrooms:



2 bedrooms



4 to 6 people



General structure

Framework: pressure-treated pine, 68 x 68 mm, with galvanized steel connectors and black polyester paint finish. Guardrail with protective mesh.

Post height: 2 m. The post height corresponds to the wall height.*



Canvas

Tent: polycotton fabric 420 g/m² – M1.

Roof: PVC 640 g/m² – M2.

Canvas tensioning: ground clips and rails.

Roof tensioning system on the frame: with stainless steel ratchet straps.

Terrace side panels (optional): PVC 640 g/m² – M2.



Stilt floor



To be positioned on gravelled slabs.



Adjustable flooring that adapts to the configuration of your land.



Underfloor tarpaulin to prevent cold draughts rising.



Autoclave treatment.



Height 4 steps:
90 cm max.



Height 7 steps:
160 cm max.



Floor area:
L x W =
9,76 x 5,36 = 52,31 m²



Floor area with XL terrace:
L x W = 1
1,52 x 5,36 = 62 m²

KENYA 34



PVC M2

Fire resistance classification
Classification in FRANCE M0 > M4



**5 years
GUARANTEE**

Subject to assembly by
TRIGANO approved teams



KENYA 34 with bathroom – veranda version

KENYA 34 BATHROOM

Double : $2,25 \times 2,15 = 4,80 \text{ m}^2$ + Children : $2,25 \times 2,15 = 4,80 \text{ m}^2$

34 m² (5,00 x 6,90 m)

4 to 6 people

KENYA 34 - (no water connection)

🛏️🛏️ Double : $2,25 \times 2,15 = 4,80 \text{ m}^2$ + Children : $2,25 \times 2,15 = 4,80 \text{ m}^2$

🏠 34 m² (5,00 x 6,90 m)

👤 4 to 6 people



KENYA 34 - veranda version

○ KENYA 34

with or without bathroom



A wooden frame with cotton-look canvas

The KENYA can remain assembled all year round.

The KENYA has a side height of 2 metres for extra space and better increased brightness.

It is available either with a new, very bright veranda or with an entrance gable located on the inner part of the terrace (both options are compatible with each other on the KENYA 34 model, with or without a bathroom).

Our furniture kits coordinate perfectly with the wooden frame and canvas.



General features

Size of lodge:



34 m²

Room size:



2,25 x 2,15 = 4,80 m² Children
2,25 x 2,15 = 4,80 m² Parents

Terrace / veranda area:



2,20 x 4,90 = 10,80 m²

Number of bedrooms:



2 bedrooms



4 to 6 people



General structure

Framework: pressure-treated pine, 68 x 68 mm, with galvanized steel connectors and black polyester paint finish.
Guardrail with protective mesh.

Post height: 2 m. The post height corresponds to the wall height.*



Canvas

Tent: polycotton fabric 420 g/m² – M1.

Roof: PVC 640 g/m² – M2.

Canvas tensioning: ground clips and rails.

Roof tensioning system on the frame: with stainless steel ratchet straps.

Terrace side panels (optional): PVC 640 g/m² – M2.



Stilt floor



To be positioned on gravelled slabs.



Adjustable flooring that adapts to the configuration of your land.



Underfloor tarpaulin to prevent cold draughts rising.



Autoclave treatment.



Height 4 steps:
90 cm max.



Height 7 steps:
160 cm max.



Floor area:
L x W =
7,40 x 5,36 = 39,66 m²



Floor area with XL terrace:
L x W =
9,69 x 5,36 = 52 m²



Bathroom

Ø Pre-assembled sanitary cabin kit from our factories, designed to be placed directly on the stilted platform of the lodge.

Ø Comprising a shower, sink, WC, 2 switch-controlled lights and an electrical socket.

Ø Wooden wall

Ø 100 L electric water heater with built-in pressure regulator.

Ø Quick connection to electricity, water supply and waste water

Ø Bathroom size: 3.5 m²



Bedrooms

	5 	6 
Ø Headboard for bed base + 2 bedside tables		-
Ø Metal bunk bed 140 x 190 cm + 90 x 190 cm		 
Ø Bedside table		 
Ø Bed base 160 x 190 cm		-
Ø Mattress 90 x 190 cm		 
Ø Mattress 140 x 190 cm		 
Ø Mattress 160 x 190 cm		-
Ø Cotton / PVC laminated mattress cover 90 x 190 cm		 
Ø Cotton / PVC laminated mattress cover 140 x 190 cm		 
Ø Cotton / PVC laminated mattress cover 160 x 190 cm		-
Ø Pillow 60 x 60 cm	    	    
Ø Double duvet - 220 x 240 cm	 	 
Ø Single duvet - 140 x 200 cm		 

Furniture

	KENYA 46 and 34 BATHROOM	KENYA 46 KENYA 34
Ø Table		
Ø Chairs	    	    
Ø Wardrobe for parents' bedroom		
Ø Wardrobe for children's bedroom		
Ø Lower kitchen unit for 4-burner gas stove and sink		-
Ø Lower kitchen unit for 4-burner gas stove without sink	-	
Ø Drawer unit with refrigerator cover and worktop		
Ø TRIGANO sun lounger	 	 
Ø 160 L refrigerator – 45 L freezer – A+ class		
Ø Microwave		

Electrical kit

	KENYA 46 KENYA 34
Ø Sockets: 2-pin + earth	      
Ø Double two-way switch	
Ø Double switch with 2 micromodules	
Ø Single two-way switch	  
Ø Single wireless switch	 
Ø Wall light + bulb	   
Ø Bedside lamp + bulb	   
Ø 6W 3000K LED spherical bulb	
Ø IP55 electrical box – 1 differential circuit breaker 40 A – 30 mA + 2 circuit breakers (10 and 16 A) + 2 additional ones with kenya bathroom	
Ø Fan with integrated light in the living area	

🏠 KENYA





BALI 32



PVC M2

Fire resistance classification
Classification in FRANCE M0 > M4



**5 years
GUARANTEE**

Subject to assembly by
TRIGANO approved teams




BALI - no water connection

 2 (2,40 x 2,05 m = 4,90 m²)

 32 m² (5,00 x 6,30 m)

 4 to 6 people



Ø BALI 32



A beautiful space to relax

Exceptional comfort

A large living space with high-quality amenities will make the stay very enjoyable.

Two well-insulated bedrooms with indoor canopies allowing you to relax even in the middle of the day. These rooms can be fitted with a double bed in the main bedroom and/or a bunk bed that can accommodate 3 children or another couple.



General features

Size of lodge:



32 m²

Bedroom area:



Parents : 2,05 x 2,40 = 4,90 m²
Children : 2,05 x 2,40 = 4,90 m²

Terrace area:



2,30 x 4,90 = 11,30 m²

Number of bedrooms:



2 bedrooms



4 to 6 people



General structure

Framework : autoclaved pine, Ø 80 mm + galvanised steel connectors and black polyester paint.

Railings with safety net protection.



Canvas

Exterior canvas: periphery/perimeter matt PVC 640 g/m² M2, roof canvas polyester 205 g/m² - M1 for thermal insulation.

Canvas tensioning: ground clips and rails.

Roof tensioning system on the frame: stainless steel ratchet straps.

Terrace side panels (optional): PVC 640 g/m² - M2.



Stilt floor



To be positioned on gravelled slabs.



Adjustable flooring that adapts to the configuration of your land.



Underfloor tarpaulin to prevent cold draughts rising.



Autoclave treatment.



Height 4 steps:
90 cm max.



Height 7 steps:
160 cm max.



Floor area:
L x W =
6,81 x 5,36 = 36,50 m²



Floor area with XL terrace:
L x W =
8,57 x 5,36 = 46 m²



BALI





BALI EQUIPEMENTS



Bedrooms

	5 	6 
Ø Headboard for bed base + 2 bedside tables	■	-
Ø Metal bunk bed 140 x 190 cm + 90 x 190 cm	■	■■
Ø Bedside table	■	■■
Ø Bed base 140 x 190 cm with storage compartment.	■	-
Ø Mattress 90 x 190 cm	■	■■
Ø Mattress 140 x 190 cm	■	■■
Ø Cotton / PVC laminated mattress cover 90 x 190 cm	■	■■
Ø Cotton / PVC laminated mattress cover 140 x 190 cm	■	■■
Ø Pillow 60 x 60 cm	■■■■■	■■■■■■
Ø Double duvet - 220 x 240 cm	■■	■■
Ø Single duvet - 140 x 200 cm	■	■■


Furniture

	BALI 32
Ø Table	■
Ø Chairs	■■■■■
Ø Lower kitchen unit for 4-burner gas stove without sink	■
Ø Drawer unit and worktop	■
Ø 4-shelf unit	■
Ø TRIGANO sun lounger	■■
Ø 160 L refrigerator – 45 L freezer – A+ rating	■
Ø Microwave	■

Electrical kit

	BALI 32
Wall lights with reading lamp and ambient lighting / USB port and integrated switch in the parents' bedroom	■■
Ø Living area pendant light	■
Ø Socket outlets: 2-pin + earth (2 in the parents' bedroom, 3 in the children's bedroom, 3 in the kitchen)	■■■■■■■
Ø IP55 electrical box – 1 differential circuit breaker 40 A – 30 mA + 2 circuit breakers (10 and 16 A)	■
Ø Fan with integrated light	■
Ø Floor lamp with 2 lights and integrated controls for the children's bedroom	■
Ø Gas stove	Optional

STEPPE



STEPPE



1 room



12,57 m² (Ø 4 m)



2 people



STEPPE



Change your horizons with the STEPPE

Speed, simplicity, and escape

Designed for those who dream of nature, tranquility, and authenticity, the STEPPE yurt combines modern comfort with nomadic charm.

It offers a warm and inviting space with a refined design: everything is in place for a truly unique getaway, without leaving solid ground. Let your clients discover the joy of travel... in a whole new way.



General features

Lodge dimensions:



Ø 4 m

Bedroom area:



12,60 m²



General structure

Structure:

Wall composed of aluminum tubes:

Ø 25 mm - height 1.50 m

Central mast in aluminum tube:

Ø 40 mm - height 2.40 m

Usable interior diameter: 4 m

Overall diameter (with guy ropes): 8 m



Canvas

Tent:

Polycotton fabric 420 g/m² - Fire rating M1.

Canvas tensioning:

Using ropes and aluminum tubes.

Interior ground sheet: PVC.



Floor on ground: optional



To be positioned on gravelled slabs.



Autoclave treatment.



Underfloor tarpaulin to prevent cold draughts rising.



Floor area:
L x W = 5 x 4 = 20 m²

STEPPE

EQUIPEMENTS



Visuels non contractuels

Bedrooms

	single	double
Ø 140 x 190 cm bed base	-	■
Ø Single metal bed 80 x 190 cm	■■	-
Ø Bedside table 39 x 39 cm	■	■
Ø 80 x 190 cm mattress	■■	-
Ø 140 x 190 cm mattress	-	■
Ø 80 x 190 cm cotton/PVC waterproof mattress protector	■■	-
Ø 140 x 190 cm cotton/PVC waterproof mattress protector	-	■
Ø 60 x 60 cm pillow	■■	■■
Ø Single duvet - 140 x 200 cm	■■	-
Ø Double duvet - 220 x 240 cm	-	■

Furniture

	STEPPE
Ø 1 shelf	■
Ø 2 bedside tables	■■
Ø 2 sun loungers	■■
Ø Table-top refrigerator 118 L with 15 L freezer, class A+	Optional
Ø Microwave	Optional



Electrical kit

	STEPPE
Ø Electric station and solar panel	Optional
Ø Lamps	Optional
Ø Heating: gas stove	Optional

REFUGE



REFUGE

🏠 4,40 m²

(L x l x h : 2,80 x 2,50 x 2,40 m)





Compact, self-contained

The turnkey solution for campsites

Easy to install, this sanitary module offers everything needed to guarantee comfort and hygiene for your guests.

- ✓ Simple to use
- ✓ Optimal comfort in every season
- ✓ Easy maintenance

Perfect for modernizing your facilities and enhancing the guest experience.



General features

Sanitary unit dimensions:



On the ground:
2.60 x 1.70 m
Overall dimensions (L x W x H):
2.80 x 2.50 x 2.40 m

Surface area:

4,40 m²



General structure

Framework :

Solid wood pine class 4
– autoclave treated
– brown colour / thickness 27 mm
Stainless steel screws



Roof

Material:

Anthracite grey steel sheet
50 x 100 mm



Floor on ground: optional



To be positioned on
gravelled slabs.



Underfloor tarpaulin to prevent
cold draughts rising.



Autoclave treatment.



Floor area:
L x w = 2,60 x 1,70 = 4,40 m²

REFUGE

EQUIPEMENTS





Furniture

REFUGE

Ø shower cabin 1 x 0,80 m



Ø Washbasin + outdoor sink



Ø Instant gas water heater



Ø Toilet



Electrical kit

REFUGE

Ø Lighting



Ø LED strip



Ø Electrical sockets



MARQUISES



MARQUISES - (no water connection)

 Parents : 2,01 x 2,15 = 4,30 m²

Children : 2,01 x 2,01 = 4 m²

 20 m² (5,36 x 4,76 m)

 4 to 6 people



MARQUISES - standard version



MARQUISES - terrace version



○ MARQUISES



Our bungalow

the flagship model of the range

Good value for money.

Sleeping up to 6 people in 2 spacious bedrooms, the MARQUISES is ideal bungalow to experience glamping while providing extra comfort.

Set on a stilted platform with a two-step staircase, a terrace can be added (optional) for more space.



General features

Size of lodge:



20 m²

Room size:



Parents : 2,01 x 2,15 = 4,30 m²
Children : 2,01 x 2,01 = 4 m²

Terrace area (optional):



5,36 x 2,64 = 14 m²

Number of bedrooms:



2 bedrooms



4 to 6 people



General structure

Framework:

galvanised steel Ø 30 x 1.5 mm.

Post height*: 2 m.

The height of the posts corresponds to the height of the walls.



Canvas

Inner canvas: 200 g/m² cotton velum.

Tent : coated PVC 640 g/m² - M2.

Roof: coated PVC 640 g/m² - M2.

Canvas tensioning: ground clips and rails.



Stilt floor



To be positioned on
gravelled slabs.



Adjustable flooring that
adapts to the configuration
of your land.



Underfloor tarpaulin to
prevent cold draughts
rising.



Autoclave treatment.



2 step height: 50 cm
max.
without terrace.



4 step height:
90 cm max.
without terrace.



Floor area:
L x w = 4,76 x 5,36 = 25,50 m²



Floor area with XL terrace:
L x w = 7,93 x 5,36 = 43 m²





MARQUISES



🏠 MARQUISES

EQUIPMENT



Bedrooms

5 

6 

Ø Headboard for bed base + 2 bedside tables	●	-
Ø Metal bunk bed 140 x 190 cm + 90 x 190 cm	●	●●
Ø Bedside table	●	●●
Ø Bed base 140 x 190 cm with storage compartment	●	-
Ø Mattress 90 x 190 cm	●	●●
Ø Mattress 140 x 190 cm	●	●●
Ø Cotton / PVC laminated mattress cover 90 x 190 cm	●	●●
Ø Cotton / PVC laminated mattress cover 140 x 190 cm	●	●●
Ø Pillow 60 x 60 cm	●●●●●	●●●●●●
Ø Double duvet - 220 x 240 cm	●●	●●
Ø Single duvet - 140 x 200 cm	●	●●

Furniture

MARQUISES

Ø Chair	●●●●●
Ø Table	●
Ø TRIGANO deckchair	●●
Ø 160 L refrigerator - 45 L freezer, class A+	●
Ø Microwave	●
Ø Kitchen base unit for 4-burner gas stove without sink	●
Ø Kitchen cabinet with drawer	●
Ø Shelf 650 x 400, H 1490	●
Ø Aluminium parasol, beige 250g/m² polyester fabric, black base with castors 25kg	optional
Ø Bedside table/coffee table	optional

Electrical kit

MARQUISES

Ø IP55 electrical enclosure - 1 40A - 30mA residual current circuit breaker + 2 circuit breakers (10 and 16 A)	●
Ø Wall lights with reading lamp and ambient lighting / USB port and integrated switch in the master bedroom.	●●
Ø Living area pendant light	●●
Ø Socket outlets: 2-pin + earth (2 in the parents' bedroom, 3 in the children's bedroom, 3 in the kitchen)	●●●●●
Ø Floor lamp with 2 lights and integrated controls for the children's bedroom	●
Ø Heating: gas stove	optional



With XL floor and underfloor
kitchen space (options)

MOOREA



MOOREA

📏 (2,40 x 2,05 m)

🏠 5 m², floor : 11 m² (2,68 x 4,17 m)

👤 1 to 2 people



MOOREA

🏠 Height : 2 m

MOOREA

(no water connection)



Our offbeat accommodation.

A nomadic spirit with the natural feel of canvas and a wooden frame.

A design carefully crafted to optimise the ground space required while maintaining a sense of space inside, thanks to the slanted frames.



General features

Size of lodge:



11 m²

Bedroom area:



5 m²

Terrace area:



2,50 m² in
standard floor version

Number of bedrooms:



1 bedroom



1 to 2 people



General structure

Framework: autoclaved treated pine + galvanised steel connectors and black polyester paint.

Height under ridge: 220 cm.



Canvas

Tent: polycotton fabric 420 g/m² - M1.

Roof: PVC 640 g/m² - M2.

Canvas tensioning: ground clips and rails.

Roof tensioning system on the frame: stainless steel ratchet straps.



Stilt floor



To be positioned on
gravelled slabs.



Adjustable **flooring** that
adapts to the configuration
of your land.



Underfloor tarpaulin to
prevent cold draughts
rising.



Autoclave treatment.



4 step height:
90 cm max.



9 step height:
190 cm max.



Floor area:
L x w = 4,17 x 2,68 = 11 m²

Colour: beige.



MOOREA avec plancher XL et espace cuisine sous plancher (options)



MOOREA with XL floor and under-floor kitchen area (options)



Kitchen unit and stove (options)

MOOREA





Bedrooms

	simple	double
Ø Headboard for 140 cm bed base	-	■
Ø Headboard for 140 cm bed base	■■	-
Ø Bedside table 39 x 39 cm	■	■
Ø Mattress 80 x 190 cm	■■	-
Ø Mattress 140 x 190 cm	-	■
Ø Cotton / PVC laminated mattress cover 80 x 190 cm	■■	-
Ø Cotton / PVC laminated mattress cover 140 x 190 cm	-	■
Ø Pillow 60 x 60 cm	■■	■■
Ø Single duvet - 140 x 200 cm	■■	-
Ø Double duvet - 220 x 240 cm	-	■

furniture

	MOOREA
Ø TRIGANO deckchair	optional
Ø Kit of 6 solar panels (with the possibility of opening by rolling H200)	optional
Ø Kitchen kit for underfloor installation (picnic table, kitchen unit with gas stove)	optional




Electrical kit

	MOOREA
Ø Solar station	Optional
Ø Lamp	Optional


KENYA EVENT



 46 m²



 34 m²



 23 m²

KENYA EVENT



Glamping party spaces

Derived from its lodge version, the KENYA EVENT provides an ideal glamping space for games, parties, or for creating a dining area your guests will love.

A delightful experience, these new units will blend in perfectly with the natural setting of your campsite.

Featuring two access points at each gable, this lodge opens easily with its removable fabrics, allowing for an open-air experience.



General features

Size of lodge:



23 m², 34 m², 46 m²

Your KENYA EVENT projects will be subject to prior validation by our design office.



General structure

Framework: autoclaved pine, 68 x 68 mm + zinc-plated steel connectors and black polyester paint.
Max height: 1,80 m.



Canvas

Side panel: coated PVC 640 g/m² - M2.
Gable: coated PVC 640 g/m² - M2.
Canvas tensioning: ground clips and rails.

The ultra-reinforced wooden structure can support the organization of multiple events.



Stilt floor



To be positioned on gravelled slabs.



Adjustable flooring that adapts to the configuration of your land.



Underfloor tarpaulin to prevent cold draughts rising.



Autoclave treatment.





4 step height: 90 cm max. at front.




TRIGANO floors can be joined together to create large, open, communal spaces.

🏠 KENYA EVENT









KENYA EVENT

endless possibilities



Our sales team is at your disposal.



JACQUES DUFIEUX

Sales Director
Tel. (33) 6 37 79 31 18
jdufieux@trigano.fr




Our sales team is at your disposal to guide you in
your choices and meet your needs.
For any specific requests, please consult us.

TRIGANO HPA
ZA HAUT ECLAIR
72600 MAMERS

☎ 02 43 31 16 88 – 02 43 31 12 35

@ contact.mdc@trigano.fr

🌐 www.trigano-hpa.com



Scan and explore
our website
www.trigano-hpa.com

Factories close to **you**



TRIGANO site in Tavers (45)



Find us on



www.trigano-hpa.com

TRIGANO HPA
ZA Haut Eclair
72600 MAMERS
02 43 31 16 88
02 43 31 12 35

